





Uporaba

Električno ogrevan žig se uporablja za označevanje lesa (logo, registracijska številka, sledljivost)

Pri uporabi žiga dobi izdelek trajno oznako katere ni mogoče odstraniti brez poškodbe označenega mesta.

Varnost

Bodite pazljivi na vse električne varnostne predpise. Posebej bodite pozorni, da ne puščate vroči žig vklopljen blizu gorljivega materiala ali brez nadzora. Žig izklopite, ko ga ne uporabljate ali znižajte temperaturo.

Delovanje: Počakajte 20 - 30 minut za doseg nastavljene temperature (400°C-500°C).

Žig naslonite na željeno površino z manjšim pritiskom. Zadostujeta dve do tri sekundi za trajen in berljiv odtis. Moker in trd les zahteva daljše časovno območje žigosanja kot mehek in suh les.

Temperaturna regulacija

Priporočamo uporabo regulacije temperature katera omogoča enakomerno temperaturo za serijsko žigosanje.

Prav tako z regulatorjem podaljšamo življensko dobo grelcem, zaradi pregretja

Use

Electrically heated branding stamps (fig.1) are chosen by many businesses in preference to stamping as the brand can depict a design, logo, trademark, registration number, company name and/or address and when applied be a permanent mark that cannot be removed without physically damaging the work piece.

Care and Safety

Observe all standard electrical safety procedures. Never leave brander unattended or near combustible material while hot. Disconnect when not in use or lower the temperature regulator while idle between uses.

Operation: Allow 20 - 30 minutes for brander to reach stamping temperature (400°C-500°C).

Press stamper gently against surface and apply light pressure. Two to three seconds will produce a legible and permanent mark. Harder woods take longer than softer woods.

Temperature controller

Recommended for production stamping. Maintains even branding temperature for more uniform brands. Also, prolongs the life of the heater by allowing operator to reduce heat buildup while brander is idle.

(Fig.2, special brochure available)

Tehnični podatki:

Napetost:	230V
Moč:	2x400W
Ročaj:	Plastika-Guma
Teža:	1,2 Kg
Dolžina:	420 mm
Velikost žiga:	85 x 45 mm
Max temperatura:	550 °C
Zmogljivost:	6 žigov / minuto

Specifications:

Voltage:	230V
Wattage:	2x400W
Handle:	Plastic-rubber
Weight:	1,2 Kg
Length:	420 mm
Plate size:	85 x 45 mm
Max temperature:	550 °C
Production:	6 stamps/minute





HEATWEAR SINCE 1963

GRELCI MARAS d.o.o.
Jevčeva pot 2
1351 Brezovica
SLOVENIJA

T: + 386 1 365 3 518
F: + 386 1 365 73 72

E: maras@siol.net
W: www.grelci-maras.si